

**CLAIMS**

Sub 2 cl 7

1. One or more computer-readable media containing a computer program for annotating streaming media, wherein the program performs steps comprising:

creating annotations interactively with a user, wherein the annotations correspond to identified segments of one or more media streams;

graphically ordering the annotations in a desired order of presentation in response to user input; and

in response to a user instruction, sequentially presenting the annotations along with their corresponding identified media stream segments in the desired order of presentation.

2. One or more computer-readable media as recited in claim 1, wherein the annotations comprise textual annotations.

3. One or more computer-readable media as recited in claim 1, wherein the media streams comprise audio/visual video streams.

4. One or more computer-readable media as recited in claim 1, wherein:  
the annotations are textual annotations;  
the media streams are audio/visual video streams; and  
the presenting step comprises displaying the textual annotations in one display area while displaying the corresponding segments of the audio/visual streams in another display area.

1           5.     One or more computer-readable media as recited in claim 1, the steps  
2 further comprising storing the annotations and their desired order of presentation.

3  
4           6.     One or more computer-readable media as recited in claim 1, the steps  
5 further comprising:

6                 storing the annotations and their desired order of presentation; and

7                 in response to a user request,

8                     retrieving the stored annotations and their desired order of  
9 presentation,

10                  displaying the retrieved annotations in their desired order of  
11 presentation, and

12                  retrieving and presenting the media stream segments identified by  
13 the retrieved annotations, in sequential order in accordance with the desired  
14 order of presentation of the retrieved annotations.

15  
16           7.     A method comprising:

17                 receiving an indication of a plurality of annotations selected by a user,  
18 wherein each of the plurality of annotations corresponds to a media stream or to  
19 one or more media streams; and

20                 seamlessly providing one or more of,

21                     the plurality of annotations, and

22                     at least a portion of the media stream corresponding to each of the  
23 plurality of annotations.

1           8.    A method as recited in claim 7, wherein the seamlessly providing  
2 comprises providing the plurality of annotations and the portions of the media  
3 streams corresponding to the plurality of annotations to a client computer for  
4 seamless presentation to a user.

5  
6           9.    A method as recited in claim 7, wherein each of the plurality of  
7 annotations corresponds to a segment of one of the one or more media streams,  
8 each segment being less than the entire stream.

9  
10          10.   A method as recited in claim 7, wherein the seamlessly providing  
11 comprises:

12               seamlessly providing the plurality of annotations concurrently with  
13 seamlessly providing at least a portion of the media stream corresponding to each  
14 of the plurality of annotations.

15  
16          11.   A method as recited in claim 7, further comprising:

17               presenting a plurality of annotation identifiers to the user; and

18               wherein the seamlessly providing comprises seamlessly providing the one  
19 or more of the plurality of annotations and the portion of the media stream  
20 corresponding to each of the plurality of annotations in an order defined by the  
21 order of the plurality of annotation identifiers.

22  
23 ~~SUB A17~~ 12.   A method as recited in claim 11, further comprising:

24               allowing the ordering of the plurality of annotation identifiers to be  
25 changed by the user.

1  
2 SUB C37 13. A method as recited in claim 12, further comprising:  
3 allowing the user to change the order of the plurality of annotation  
4 identifiers in a drag and drop manner.  
5

6 14. A method as recited in claim 7, further comprising:  
7 storing the at least a portion of the media stream corresponding to each of  
8 the plurality of annotations as a new media stream of the one or more media  
9 streams.  
10

11 15. A method as recited in claim 7, wherein each of the plurality of  
12 annotations comprises one or more of audio data and text data.  
13

14 16. A method as recited in claim 7, wherein each of the one or more  
15 media streams comprises audio and video data.  
16

17 17. A computer-readable memory containing a computer program that is  
18 executable by a computer to perform the method recited in claim 7.  
19

20 18. A system comprising:  
21 an annotation database that stores one or more collections of annotations,  
22 wherein each of the annotations identifies at least a segment of a media stream;  
23 and  
24  
25

1 an annotation module to control storage and retrieval of the plurality of  
2 annotations, wherein the annotation module is configured to perform steps  
3 comprising:

4 retrieving a particular collection of annotations from the annotation  
5 database;

6 presenting the annotations of the retrieved collection to a user; and

7 managing sequential presentation to the user of the media stream  
8 segments corresponding to the presented annotations.

9  
10 **19.** A system as recited in claim 18, wherein the annotation module is  
11 further configured to perform a step of communicating with a client computer to  
12 provide indications of the plurality of annotations to the client computer for  
13 display to the user.

14  
15 **20.** A system as recited in claim 19, wherein the indications of the  
16 plurality of annotations comprise summary information for each of the plurality of  
17 annotations.

18  
19 **21.** A system as recited in claim 19, wherein each of the plurality of  
20 annotations corresponds to an annotation set, and wherein the annotation module  
21 is further configured to perform a step of providing the annotation set information  
22 to the client computer.

1           **22.**     A system as recited in claim 18, wherein each of the media stream  
2 segments comprises audio and video data.

3  
4           **23.**     A system as recited in claim 18, wherein the annotation module is  
5 further configured to perform a step of saving information regarding the media  
6 stream segments as an additional new media stream.

7  
8           **24.**     A system as recited in claim 23, wherein the information regarding  
9 each of the media stream segments comprises an identifier of a media stream of  
10 which the media segment is a part, a temporal location in the media stream  
11 identifying where the media segment begins, and a temporal location in the media  
12 stream identifying where the media segment ends.

13  
14           **25.**     A system as recited in claim 18, further comprising:  
15 a client computer, coupled to the annotation module, configured to receive  
16 the media stream segments and present the media stream segments to the user.

17  
18           **26.**     A system as recited in claim 25, further comprising:  
19 a media server, coupled to the annotation module, having access to a  
20 plurality of media streams, the media server configured to provide at least a  
21 portion of the plurality of media streams to the client computer as the media  
22 stream segments.

1           27. A system as recited in claim 18, wherein each of the plurality of  
2 annotation identifiers corresponds to a single media stream of the plurality of  
3 media streams.

4  
5 SUB C47 28. One or more computer-readable storage media containing a program  
6 having instructions that are executable by a computer to perform steps comprising:  
7 configuring a first portion of a user interface to display a plurality of  
8 identifiers corresponding to a plurality of annotations, the plurality of identifiers  
9 corresponding to a playlist of media segments to be seamlessly presented to a user;  
10 and  
11 reordering the plurality of identifiers in accordance with user input to  
12 change the order in which the media segments are to be presented.

13  
14 29. One or more computer-readable storage media as claimed in claim  
15 28, the program having instructions that are executable by the computer to further  
16 perform a step comprising:  
17 receiving the media segments from a media server in an order determined  
18 by the playlist.

19  
20 30. One or more computer-readable storage media as claimed in claim  
21 28, the program having instructions that are executable by the computer to further  
22 perform steps comprising:  
23 receiving the media segments from a media server in an order determined  
24 by the playlist; and  
25

1 presenting the media segments at the user interface in the order determined  
2 by the playlist.

3  
4 **31.** One or more computer-readable storage media as claimed in claim  
5 28, the program having instructions that are executable by the computer to further  
6 perform a step comprising:

7 allowing the user to reorder the plurality of identifiers in a drag and drop  
8 manner.

9  
10 **32.** One or more computer-readable storage media as claimed in claim  
11 28, the program having instructions that are executable by the computer to further  
12 perform a step comprising:

13 configuring a second portion of the user interface to present the plurality of  
14 annotations concurrently with the media segments.

15  
16 **33.** One or more computer-readable storage media as claimed in claim  
17 28, wherein each of the media segments comprises audio and video data.

18 ADD A27

19  
20 ADD  
21 B27